

GT SONIC-QT series Mechanical ultrasonic cleaner



General Description

GT SONIC QT-series units with mechanical control timer and heater features. 40kHz frequency make it suitable for general cleaning applications. The QT series with very competitive price, and available for OEM customers. QT series comprises 10 machine sizes from 0.7 liters to 27 liters.



Control panel

GT SONIC QT-series features

- Available for fast delivery of OEM customer.
- > Digital control with LED display the cleaning time and temperature
- > Whole machine made of stainless steel.
- > Drainage and cool fan are available for 6L -27L models
- Ceramic heaters provides improved heating effect
- High-perfermance transducer for strong cleaning and durability.

Tel No.:0086-755-23356705 Fax No.:0086-755-29918628 E-mail: info@vgt.hk Website: www.qtsonic.net



Applications

Industry	Items to clean				
Moulds	Plastic tool models				
	For cleaning.				
Electronics	Relay—remove metal filings and impurities,				
	Potentiometer impurities and oil stain on moving contact,				
	Vacuum tube parts Dirt and impurity on the polar plate of electron gun,				
	Semiconductor elementDir on the surface of silicon wafer and crystal wafer,				
	CapacitorDirt on pins of capacitor,				
	Printed circuit boardInk and oxide left during processing printed circuit board,				
	Magnetic headDirt on the surface of the magnetic head.				
Mechanical	Bearing, gearMetal filings and impurities left during the processing of internal and external sheath of bearing,				
	Springcleaning before spring turning black,				
	Vernier caliper, measuring toolMetal filings and oil stain left during the				
	processing of parts,				
	Oil choke, oil pumpMetal filings and dirt left during the process of				
	inner hole of oil choke and oil pump,				
	Screw rod, air valve, pneumatic elementsIron filings, cutting oil and				
	abrasive left while processing.				
Automotive,	To remove oil, grease, preservative, plastic residue left during				
motorcycle,	mechanical cutting, grinding abrasive, glass fiber, dust,				
aircraft	graphite and tar from Automotive air valve, glow plug, gasification plug,				
	fuel pump, piston ring, battery terminal, machine control hand-wheel,				
	motorcycleair-valve,etc.				
Armurerie	weapons cleaning, such as guns, rifle, bullets , handcuffs , etc.				
	For cleaning and lubrication.				
Printing industry	Rotative machine,				
Triniang maasay	metal plate,				
	Printer ink head,				
	printer cartridges				
	To clean ink, oil and dye on the surface of printing machine & parts.				
Repair industry	Musical instrument repair shop, vehicle maintenance shops, motorcycle				
	repair shop, mobile phones & interphone repair shop, gun repair shop,				
	etc.				
	To clean dirt, impurity and oils from surface of tools and spare parts.				
	10 clean and imparity and one from surface or tools and spare parts.				

Add:19F,XuSheng Building,Tongcheng Road,Xixiang,Bao'an District ,Shenzhen,China.

Tel No.:0086-755-23356705 Fax No.:0086-755-29918628 E-mail: info@vgt.hk Website: www.gtsonic.net



Watch & clock	Gear wheel, pin, screw, movement of watches for watch manufacture, repair shops, Watch collectors, etc.							
	For cleaning.							
Magnetic industry	Magnetic materialsMagnetic powder to be cleaned.							
Pharmaceutical	Medicine bottles Cleaning of the medicine bottles before loading							
industry	medicine.							
	Use for Pharmaceutical factories and pharmaceutical machinery companies.							
Medical	Injectors, operating instrument, pipet, glass container, esophagosco							
	dental machinery, proctoscope, direction lens, microscope-used sam							
	glasses.							
	To clean residue on the used operating instruments.							
	Use for Various large pharmaceutical and hospitals.							
Dental	Dental instruments like dental forceps, etc; prosthetic materials like							
	bridges, crowns and prostheses.							
	For cleaning and disinfection.							
Tattas	Use for dental Clinic, dental Colleges,etc.							
Tattoo	Tattoo instruments.							
Optical components	Spectacles, magnifying glass, telescope, microscope, camera, vidicon,							
components	etc.							
	To clean lenses and the accessories.							
Podiatry	Chiropody instruments be hygienically clean and sterile.							
Laboratories	Laboratory glassware, lenses, instruments , polishes, burettes, pipettes							
	and precision components.							
	Thoroughly removing biological fluids, blood, protein, and							
	contaminants from it.							
Jewelry industrial	Jewelry tools,							
	Precious stones, jewelries.							
	To frequently doop off regidue of reliables mastes and evideties							
	To frequently clean off residue of polishing pastes and oxidationsSpecial use for jewellery makers.							
Metal items	Metal cutlery (knives/forks etc),old coins, metal badges, valves,							
rictal Items	machine nozzles, small metal parts etc.							
	macrine nozzies, smaii metai parts etc.							
	For cleaning.							

The ultra sound cleans everywhere the cleaning liquid is able to reach and thus even gets to interior places which are very hard to reach.

Tel No.:0086-755-23356705 Fax No.:0086-755-29918628 E-mail: <u>info@vgt.hk</u> Website: <u>www.gtsonic.net</u>



Specifications

Model	Tank size	Unit size	Volum e	Ultrasoni c power	Ultrasonic frequency	Heating power	Timer	Heating temperature
	L×W×H(mm)	L×W×H(mm)	(L)	(W)	(kHz)	(W)	(MIN)	(℃)
VGT-1607	150×85×65	175×110×185	0.7	50		١	١	1
VGT-1613T	150×140×65	190×170×185	1.3	50		١	0-15	\
VGT-1620T	150×140×100	190×170×220	2	50		١	0-15	1
VGT-1730QT	240×140×100	270×170×240	3	100		100	0-20	20-80
VGT-1860QT	300×155×150	330×180×310	6	150	40	300	0-20	20-80
VGT-1990QT	300×240×150	330×270×310	9	200	40	300	0-20	20-80
VGT-1910QT	505×135×150	530×165×310	10	200		400	0-20	20-80
VGT-2013QT	330×300×150	360×330×310	13	300		400	0-20	20-80
VGT-2120QT	500×300×150	550×330×310	20	400		500	0-20	20-80
VGT-2227QT	500×300×200	550×330×360	27	500		500	0-20	20-80

Noted:

1.All GT SONIC QT-series units with 12 months factory warranty.

2. With FCC, CE, ROHs certificates.

Tel No.:0086-755-23356705 Fax No.:0086-755-29918628 E-mail: <u>info@vgt.hk</u> Website: <u>www.gtsonic.net</u>